XO UNITY®

User Manual

Introduction

Uniting power and flavour in a slick design, the ***XO Unity*** is an excellent, ***easy to use***, ***all in one*** device.

It is the perfect starter kit for users looking to make the switch from traditional tobacco or as the next step in a vapers journey.

Combining ***top dual-lined airflow control*** and ***extended battery capacity***, this starter kit marries ***excellent flavour*** with ***satisfying vapour production*** - resulting in an ***all-day consistent vape***.

Structure

UNITY®

Features

- Slick & Powerful Design
- Excellent Flavour
- Simple to use
- High Density Finish
- In-Built 1600mAh Battery
- Innovative top dual-lined airflow control
- Top-Fill
- Adjustable Airflow

Kit Contents

1 x XO Unity (0.5Ohm SS Coil pre-installed)
1 x USB Charger
1 x User Manual
1 x 0.6% (w/v) nicotine XO E-liquid





How to Top Fill

The XO Unity features a simplistic, leak free, top filling system

To fill your XO Unity, hold ridges on top cap of the device and twist watching for the top openings to align with inner ports.

Once ports are aligned place the 2.6mm nib of your e-liquid bottle directly into one of the two 3.1mm filling ports in the top of the device. Be careful not to insert the nozzle into the centre shaft.

Gently squeeze to fill with e-liquid, a visual check can be made through the front glass. Fill the tank until full.

Once filled, twist top cap back until the ports are closed. Press the button 5 times to switch device on. Press button and inhale to vape.

Charging: Liberty Flights recommend using a Liberty Flights USB wall plug (5V1A) or computer USB port to charge, plugs with an Amp output of 2A or over must not be used (for example phone or tablet chargers.) The battery will begtin to charge immediately. LED indicator is a constant blue light whilst charging and will deluminate when full.

LED Indicator

LED Indicator Alerts:
The LED color indicates the battery voltage:

	Green:	Full (>3.75V)
	Blue:	High (3.75V-3.35V)
	Yellow:	Low (3.35V-3.0V)
	Red:	Weak Battery Alert, LED keeps flashing for charging (<3.0V)
	No Light:	Out of Power, The atomizer will stop working when voltage less than 3.0V

Exchange the Coil Head



1. Screw out the tank section from the main body
2. Hold top section of tank and screw off base
3. Screw out and discard old coil head
4. Prime coil head with 2-3 drops of e-liquid
5. Screw in new, primed coil head
6. Re-attach base section with new coil to tank
7. Re-attach tank to main body, fill tank via top filling port, re-attach top cap and enjoy

* Dependant on use, coils will need replacing every 1-2 weeks or when flavours are compromised

XO®

HARDWARE

XO Unity

XO Style

The XO coil can fit the entire XO hardware range.

XO Coil

XO Tank

XO Dynamic

XO Cloudchaser

Recommended E-liquid

XO®

E LIQUID

The XO E-liquid range is lovingly crafted in the UK with passion, skill and strong scientific credentials. The Liberty Flight's team of flavourists strive to create the very best flavours available. The XO range of e-liquids are available in a 50/50 VG/PG base and a Heavy VG range making them the perfect companion for the XO line of hardware.

see www.liberty-flights.com for full range

XO Coils

0.5Ohm SS - Perfect for temperature control (SS Mode) vaping or higher wattages and ***direct lung inhales.***

1.8Ohm Kanthal - Tighter airflow draw through the coil. Perfect for ***mouth to lung inhales.*** (Not temperature mode compatible)

0.2Ohm Ni200 - Perfect for temperature control (Ni Mode) vaping and ***direct lung inhales.*** (Please note these coils only work in XO Dynamic and XO Cloudchaser kits)

0.5 Ω SS
(direct lung inhale)

1.8 Ω Kanthal
(Mouth to lung inhale)

0.2 Ω NI200
(***Temperature control***)

Caution:

1. These coils utilize organic cotton wick, please do not heat the coils unless they are in a tank filled with e-liquid.
2. It is recommended to saturate the coil prior to vaping, please allow 3 minutes for coil to saturate before using.

There are no recorded medical side effects for this product.

Warning

This product is not intended for use by anyone under the age of 18 or non-smokers. Do not operate or heat the coil outside of its designed tank. Doing so may cause serious injury as the coil can reach high temperatures. Seek medical advice if you are unwell or are pregnant.

Liberty Flights is not liable for any malfunction of any mods or battery, injury or death related to use of separate batteries and mods made by other manufacturers.

Do not operate in the rain. Do not expose to water when attached to a battery device or charger. Only charge using suggested charger (not a mobile phone charger), this can be found at the link below; https://www.liberty-flights.co.uk/Chargers/Generic-Chargers

To learn more about our products and their usage please visit www.liberty-flights.co.uk

LIBERTY FLIGHTS®
EXPERTS IN VAPING

8-9 Arkwright Court, Darwen
Lancashire, BB3 0FG
Tel. 0345 256 9008